



Technical Standards and Safety Authority  
 345 Carlingview Drive  
 Toronto, Ontario M9W 6N9  
 www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

## STATUTORY DECLARATION Registration of Fittings

I, Sue Abaza, Vice President Sales / Quality Control Manager  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Tri-Canada Industries Ltd  
(Name of Manufacturer)

Located at 7033 Telford Way #20, Mississauga, ON, L5S 1V4 905-677-9000  
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of CSA B51 + Rubber Manufacturers Association Handbook  
(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of Tri-Canada Quality Control which has been verified by the following authority, Technical Standards + Safety Authority (TSSA).

The items covered by this declaration, for which I seek registration, are category D type fittings. In support of this application, the following information and/or test data are attached as follows:  
Updated scope of registration dated for Addendum #3 CRN OD9034.5ADD3

(drawings, calculations, test reports, etc.)

Declared before me at Mississauga in the Province of Ontario

the 05<sup>th</sup> day of June AD 2024.

**Commissioner for Oaths: Amaninder S. Parmar**  
 Barrister Solicitor & Notary Public  
 7033 Telford Way #9  
 Mississauga ON L5S 1V4  
(Printed Name) (905) 672-8899 • F: +1 (905) 390-3650

[Signature]  
(Signature)

[Signature]  
(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category D.

CRN: \_\_\_\_\_

Registered by: \_\_\_\_\_

Dated: \_\_\_\_\_

**NOTE: This registration expires on: July 24, 2034**

Technical Standards and Safety Authority  
 Boilers and Pressure Vessels Safety Program

REGISTERED

C.R.N.: 0D9034.5R4

Signed: [Signature]

Date: July 24, 2024.

*\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.*



**Tri-Canada Industries Ltd**  
**7033 Telford Way #20**  
**Mississauga, Ontario, L5S 1V4**

**THIS IS PART OF CRN**

**OD9034.5R4**

Technical Standards and Safety Authority  
Boilers and Pressure Vessels Safety  
Program

**22 July 2024**

**Updated Scope of Registration Tri-Canada CRN OD9034.5ADD3 Addendum #3**

Description	Sizes	End Connections	Liquid, Air & Gas Service MAWP at RT	Max Temp
Pharmaline-N	1/2", 5/8", 3/4", 1", 1-1/4", 1-1/2", 2"	Tri-Clamp, Male NPT, Female JIC	230 psig	150 °C
WCS	3/8", 1/2", 5/8", 3/4", 1", 1-1/4", 1-1/2", 2"	Tri-Clamp, Male NPT, Female JIC	250 psig	230 °C
FGR	1/2", 3/4", 1", 1-1/2", 2"	Tri-Clamp, Male NPT	250 psig	121 °C
FGR	2-1/2", 3"	Tri-Clamp, Male NPT	150 psig	121 °C
TS	3/8"	Compression, Male NPT	250 psig	260 °C
Gates Stallion	2"	Tri-Clamp, Female JP/Nut	190 psig	149 °C
TLCT	1/2", 3/4", 1", 1-1/4", 1-1/2"	Tri-Clamp, Male NPT	250 psig	177 °C
TLCT	2", 2-1/2"	Tri-Clamp	200 psig	177 °C
Pure-Fit SBP	1/2"	Tri-Clamp, Male NPT	95 psig	260 °C
Pure-Fit SBP	3/4"	Tri-Clamp	75 psig	260 °C

Description	Sizes	End Connections	Liquid, Air & Gas Service MAWP at RT	Max Temp
Pure-Fit SBP	1"	Tri-Clamp, Male NPT	55 psig	260 °C
RubberFab RFRT	1/2", 3/4", 1", 1-1/2", 2"	Tri-Clamp, Male NPT	250 psig	149 °C
RubberFab RFRT	3"	Tri-Clamp	200 psig	149 °C
RubberFab RFSB	1/2"	Tri-Clamp	105 psig	195 °C
RubberFab RFSB	3/4"	Tri-Clamp, Male NPT	90 psig	195 °C
RubberFab RFSB	1"	Tri-Clamp, Male NPT	60 psig	195 °C
RubberFab RFCTLP	1/2", 3/4", 1", 1-1/2", 2"	Tri-Clamp, Male NPT	250 psig	177 °C

**THIS IS PART OF CRN**  
 0D9034.5R4  
 Technical Standards and Safety Authority  
 Boilers and Pressure Vessels Safety  
 Program



345 Carlingview Drive  
Toronto, Ontario  
Canada M9W 6N9  
Tel.: 416.734.3300  
Fax.:416.231.6183  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

## CERTIFICATE OF AUTHORIZATION

This is to certify the named company as having had the adequacy of their quality program verified for the scope shown below in accordance with the *Ontario Technical Standards and Safety Act, 2000* and the Boilers and Pressure Vessels Regulation.

**Company Name:** TRI-CANADA INDUSTRIES LTD.  
7033 TELFORD WAY UNIT 20  
MISSISSAUGA ON L5S 1V4  
Canada

**Scope:** Fabrication of Non-Welded Category D type Fittings only at the Above Location Only. In accordance with CSA Standard B51 Boiler, Pressure Vessel and Pressure Piping Code.

**Authorized:** Oct 17, 2023

**Expires:** Oct 16, 2028

**Certificate Number:** QA-00498



Ajay Raval, Director  
Boilers and Pressure Vessels Safety  
Program